
## rmstrong

#### **EXCELON TILE** (Vinyl-Asbestos)

Excelon Tile is representative of today's most widely used resilient flooring material for all grade levels in schools, offices, shopping plazas, and similar public and commercial buildings. Specially formulated of vinyl resins fortified with asbestos fibers, it is an economical flooring, yet its many practical advantages include durability and resistance to grease, alkali, and dilute chemicals.





51854 Char Brown

The various stylings in Excelon Tile provide the architect and interior designer wide scope in floor designs and colorings to meet the needs of all types of architectural design and decoration.



56880 Terrace White

Form/gauge-12" x 12"-1/8", 3/32" gauges Approx. installed price per sq ft-35¢/45¢ Recommended load limit-50 lb per sq in. Durability-superior Resilience-fair Quietness-acceptable Ease of maintenance-excellent

IMPERIAL MODERN 12" x 12" x 1/8", 3/32"



51851 Mellow Sand



51855 Medium Cork



51857 Olive



51860 Light Umber



51850 Fleece White



Smoke Beige



51856 Bayberry White



51858 Sandrift White



51861 Powder Gray



1973 (Section 9.23) Sweets

Shelter White

51836



Form/gauge-12" x 12"-1/8" gauge Approx. installed price per sq ft-35¢/50¢ Recommended load limit-50 lb per sq in. Durability-very good Resilience-fair Quietness-acceptable Ease of maintenance-excellent

#### PRESIDENTIAL



51950 Montpelier Beige



Wheatland White



51952 Monticello Gold



51953 Mt. Vernon Taupe



51954 Sagamore Green

#### CLASSIC TRAVERTINE/Embossed



51880 White



51882 Tan



51884 Mint Green



Beige



Gray



51885 Olive



Form/gauge-12" x 12"-1/8"

Group 1-40¢/50¢ per sq ft

Group 2\*-50¢/60¢ per sq ft

Load limit-50 lb per sq in.

Durability-superior

Quietness-acceptable

Resilience-fair

56806\* Red

56797\* Chocolate

56807 Neutral

56808*	Celery
No. of Contrast of	



56811*	Orange
--------	--------

	ıe	-	100
HEALTH AND	-		

56813\* Gray

#### **EXCELON FEATURE TILE**

The solid-colored tiles shown in the right-hand column on this page have been created expressly for use as accent spots with other 1/8" gauge Excelon stylings. They are not recommended for an entire flooring field because, like plain-colored floors of any composition, they tend to show scratches and soiling more readily than patterned materials.

#### **EXCELON FEATURE STRIPS**

All colors in Excelon Feature Tile are also available in Feature Strips (1", 2", and 3" wide x 24" long) for accents in custom floor design. Feature Strip colors should be specified by changing the first two digits from 56 in the Feature Tile Series (56)790 to 50 for Feature Strips (50)790.

# Armstrong

### EXCELON TILE (Vinyl-Asbestos)

The durability, economy, and high styling combined n today's offerings in Excelon Tile provide new neasures of flooring value. This page and the next tour contain three catepories of Excelon Tile for unsurpassed selection.

## THE CRAFTLON COLLECTION

**D**stinctive designs inspired by the craftsmanship of od-world artists and sculpors. Great care has been taken to reproduce every ine in three-dimensional detail. Recommended for residential floors, the 3/32" gauge provides good durability.

CRAFTLON/Romford Brick 9" x 9" x 3/32"



57020 White




57021 Red

Form/gauge-9" x 9", 12" x 12"-3/32" gauge Approx. installed price per sq ft-45¢/55¢ Recommended load limit-50 lb per sq in. Durability-good Resilience-fair Quietness-acceptable Ease of maintenance-good

#### CRAFTLON/Adelphi II

12" x 12" x 3/32"



Olive 54430



54431 Aalst




54432 Beige



54433 Baal



54434



**CRAFTLON/Devonshire Inset** 

54451 Brown



54452 Gold




54453 White



54454 Red







EMBOSSED EXCELON TILE (Vinyl-Asbestos)

Form/gauge—12" x 12"—1/16", 3/32" gauges Approx. installed price per sq ft—30¢/40¢ Recommended load limit—50 lb per sq in. Durability-good Resilience—fair Quietness—acceptable Ease of maintenance-good





51170 Beige TRAVERTINE/Embossed 12" x 12" x 1/16", 3/32"



54221 Vetralla (3/32" only)

4222 Ponzano

2 x 12" x 1/16"

4251 Dark Cherry

WOODSTOCK/Embossed



POLISHED MARBLE/Embossed



54190 Statuary White




54192 Peruvian Beige




54193 Meadow White




51172 Gold CHANDELLE/Embossed



54520 Blue-Olive



54522 White



54524 Pink-Orange




51173 White



Olive



54523 Gold



54525 Multi-White



#### CUSTOM EMBOSSED EXCELON TILE (Vinyl-Asbestos)

Form/gauge-12" x 12"-1/16" gauge Approx. installed price per sq ft-35¢/40¢ Recommended load limit-50 lb per sq in. Durability-good Resilience-fair Quietness-acceptable Ease of maintenance-good

Unique floor decoration in styles that create distinctive overall designs or to use as accents in individualized custom effects.

**CUSTOM SAN PEDRO** 

12" x 12" x 1/16"



57070 Blue White



57071 Olive



57072 Gold



CUSTOM BURNHAM

12" x 12" x 1/16"

Olive 57081

57080

Blue



57073 Orange **CUSTOM BISQUE** 12" x 12" x 1/16"


Gold White 57074



57075 Red



57082 Gold



57090 White



57091 Rust



57092 Beige



57083



57093 Brown



57094 Bronze



57095 Olive



1973 (Section 9.23) S



















**DIANNA WHITE** 

51200 Olympus (Smooth Surface)

12" x 12" x 1/16"









## Armstrong

#### SMOOTH SURFACE EXCELON TILE (Vinyl-Asbestos)

This page features the stylings available in 1/16" gauge. Smooth surface Excelon in 1/8" gauge is shown on pages 4, 5, 6.

#### TIDESTONE

12" x 12" x 1/16"



51756 Green



51760 Daytona Taupe



51762 Acapulco White



51764 Malibu Beige

Form/gauge—12" x 12"—
1/16" gauge
Approx. installed price per sq ft—
25¢/30¢
Recommended load limit—
50 lb per sq in.
Durability—good
Resilience—fair
Quietness—acceptable
Ease of maintenance—excellent

PALATIAL

12" x 12" x 1/16"



51601 Nice Gold



51602 Alba Beige



51603 Cannes Beige



51607 Corsica Olive

## Armstrong

## STANDARD (Smooth Surface) ASPHALT TILE

Armstrong Asphalt Tile is a durable resilient flooring material made especially for areas where alkaline moisture is a problem and where cost is the major factor. With its utility and economy, it provides a floor of exceptional value.



5C913 Pecan Beige



5C926 Palomino Beige

# Form/gauge—Smooth Surface 9" x 9"—1/8" gauge Approx. installed price per sq n. 20¢/35¢ Recommended load limit— 25 lb per sq in. Durability—superior Resilience—fair Quietness—acceptable Ease of maintenance—very good



5C902 Foam Green



5B918 Cedar



58040 Corkstyle (New Light)

#### **EMBOSSED ASPHALT TILE**

Armstrong Embossed Asphalt Tile simulates wood parquetry floors with excellent realism.

Form/gauge—Emb: 9" x 9"— 3/32" gauge Approx. price per sq ft—25¢/30¢ Recommended load limit— 25 lb per sq in. Durability—good Resilience/quietness—acceptable Ease of maintenance—good



1973 (Section 9.23) Swee